

Urine / Phlebotomy

10. Quality of venipuncture: Traumatic Clean



Mark all that apply

<input type="radio"/> Vein collapsed	<input type="radio"/> Excessive duration of draw	<input type="radio"/> Vein hard to get at
<input type="radio"/> Hematoma	<input type="radio"/> Multiple sticks	<input type="radio"/> Leakage at venipuncture site

If tube is not full, but is at least half full, please indicate "Partial" and enter the volume to the nearest mL.

11. Blood volume per tube:	Filled			Specify volume (mL): <i>min 1/2 full</i>
<i>Exam 6:</i>	Yes	No	Partial	
a. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
b. EDTA 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
c. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
d. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
e. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
f. EDTA 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
g. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
h. CPT 8 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
i. EDTA CBC/Diff 4 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
j. Paxgene 2.5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
<i>VitD 6a:</i>				
k. Serum 7.5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>
l. Paxgene 2.5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input style="width: 30px; height: 20px;" type="text"/>

Include if consented to vitD study

Include if consented to vitD study

(continued)

Urine / Phlebotomy

11. Blood volume per tube:

PET exam:	Filled			Specify volume (mL): <i>min 1/2 full</i>	
	Yes	No	Partial		
m. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
n. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
o. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
p. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
q. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>
r. EDTA 5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>	<i>Include if consented to PET study</i>

12. Participant selected as a quality control subject?

(Participant ID ends in 6)

(Blood)

- NO
- YES
- YES, but not enough
blood for QC

(Urine)

- NO
- YES
- YES, but not enough
urine for QC

Comments: _____
