



## Urine / Phlebotomy

10. Quality of venipuncture:  Traumatic  Clean



<i>Mark all that apply</i>	<input type="checkbox"/> Vein collapsed	<input type="checkbox"/> Excessive duration of draw	<input type="checkbox"/> Vein hard to get at
	<input type="checkbox"/> Hematoma	<input type="checkbox"/> Multiple sticks	<input type="checkbox"/> Leakage at venipuncture site

*If tube is not full, but is at least half full, please indicate "Partial" and enter the volume to the nearest mL.*

Exam 6:	Filled			Specify volume (mL): <i>min 1/2 full</i>
	Yes	No	Partial	
a. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
b. EDTA 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
c. Serum 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
d. EDTA 10 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
e. Paxgene 2.5 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>
f. EDTA CBC/Diff 4 mL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="text"/>

*Include if consented to contrast Lung CT*

12. Participant selected as a quality control subject?

**(Blood)**

- NO
- YES
- YES, but not enough blood for QC

**(Urine)**

- NO
- YES
- YES, but not enough urine for QC

Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_