
CMeSA Exam 6	Participant ID #:		Acrostic:	
	Technician ID:		Date: /	
23-Sodium MRI Tracking Form		I	Month Date of	Day Year
		Sodiu	m MRI: Month	Day Year
To be completed by the MESA Coordinator				
1. Did the MESA participant consent for the S	odium MRI ancillary study?	O Yes	O No	
2. Was blood collected for the Sodium MRI a	ncillary study?	○ Yes	O No	
3. Is the MESA participant eligible for the Sod	ium MRI scan?	O Yes	O No	
4. Weight: (lbs)				
Blood pressures on day of Sodium MRI scan:				
5. Time of day (m	nilitary time)			
6. First reading:	7. Second reading	g:	8. Third r	eading:
SBP (mmHg)	SBP] (mmHg)	SBP	(mmHg)
DBP (mmHg)	DBP	(mmHg)	DBP	(mmHg)
Pulse	Pulse]	Pulse	
To be completed by the MESA Sodium MRI T	echnologist			
9. MRI technician initials:				
First Last				
10. Were all sequences completed?				
O Yes 10a.	If not all sequences were com	npleted, why	/ not?	
O No				
O Refused				
O Ineligible O Tech issue:				

For responses other than 'Yes', skip to Q30



Deepak K. Gupta, MD MSCI

Vanderbilt Translational and Clinical Cardiovascular Research Center

Division of Cardiovascular Medicine

Vanderbilt University Medical Center

2525 West End Ave, Suite 300

Nashville, TN, 37203

Office Tele: (615) 936-2530

Cell: (937) 239-8670

(Should be left leg unless unable to use)

19. Which leg was placed in the coil?

O Left

O Right



23-Sodium MRI Tracking Form

20. Was the largest diameter of the oYesNo	calf centered in the coil?		
21. Was foam support used for the foO YesO No	oot of the selected leg during imaging?		
22. Was an upper body wedge / foarYesNo	n support used for participant comfort?		
23. Voltage adjustment for 90° flip a Volts	ngle:		
24. Scan start time: Hr Min	(military time)		
25. Scan end time: Hr : Min (military time)			
26. Total scan time: Min			
27. Participant issues (e.g. motion, claustrophobia, etc.)?			
28. Was participant repositioning ne	eded during the scan?		
O Yes			
O No			
29. Were any of the sequences repe	ated?		
O Yes — (29a. If sequences were repeated, which ones?		
O No			
	Skip to Q31		
	λιή το άστ		



23-Sodium MRI Tracking Form

30. Was the Sodium MRI scan comp	leted?
O Yes	
O No	
O Refused	
O Ineligible	
O Other:	
31. Were all DICOM images transm	tted to Vanderbilt Reading Center?
O Yes	31a. Date of transmission:
O No	Month Day Year
	31b. Initials of technician at Northwestern who transmitted study: First Last
Comments:	